




**GROUNDWATER MONITORING RESULTS  
FIRST QUARTERLY REPORT  
BORGER COMPRESSOR STATION  
TOMPKINS COUNTY, NEW YORK**

**February 8, 2000**

SE Technologies, Inc.  
98 Vanadium Road  
Bridgeville, PA 15017  
412.221.1100



Prepared for:

Mr. John Pastelock

**CNG TRANSMISSION CORPORATION**

R.R. 3, Box 24T  
Westfield, PA 16950



---

**TABLE 1**

**Field Parameters**

**Table 1**  
**Field Parameters**  
**Borger Compressor Station**  
**Tompkins County, New York**

| Sample Identification | Date Collected | Depth to Water (feet bgs) | Field Parameter  |                     |                   |
|-----------------------|----------------|---------------------------|------------------|---------------------|-------------------|
|                       |                |                           | Temperature (°C) | pH (standard units) | Conductivity (mS) |
| BGR-01                | 12/16/1999     | 10.02                     | 9.4              | 6.61                | 189.4             |
| BGR-02                | 12/16/1999     | 8.18                      | 10               | 7.68                | 718               |
| BGR-03                | 12/16/1999     | 4.59                      | 7.9              | 6.38                | 972               |
| BGR-04                | 12/16/1999     | 6.91                      | 10.6             | 6.73                | 503               |



**Notes:**

1. bgs - feet below ground surface
2. Temperature was recorded in degrees Celsius
3. mS - milliseimens

---

**FIGURE 1**

**Site Layout Map**



- LEGEND:**
- LN-1 — NATURAL GAS TRANSMISSION LINE
  - ~~~~~ TREE LINE / WOODED AREA
  - ⋯⋯⋯ AREA OF REMEDIATION
  - x-x-x- FENCE LINE
  - ⊕ MW-1 APPROXIMATE GROUNDWATER MONITORING WELL LOCATION/IDENTIFICATION

|               |              |
|---------------|--------------|
| DRAWN BY      | SCI/ DWS     |
| DATE          |              |
| CHECKED BY    |              |
| SET JOB NO.   | 990333       |
| SET DWG FILE  | 99333b06.dwg |
| DRAWING SCALE | AS SHOWN     |



|  |          |
|--|----------|
| CNG TRANSMISSION   |          |
| BORGER COMPRESSOR STATION<br>TOMPKINS COUNTY, NEW YORK<br>QUARTERLY SAMPLING REPORT<br>SITE LAYOUT MAP |          |
| DRAWING NAME   | FIGURE 1 |
| REV.   | 0        |

---

**ATTACHMENT 1**

**Laboratory Report**



quality ■ accuracy ■ reliability

**ENVIRONMENTAL**  
 390 Pennsylvania Avenue  
 S. Waverly, PA 18840  
 Phone (570) 888-0169  
 Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies  
 98 Vanadium Road  
 Bridgeville PA 15017

ATT: Mike Antonetti

NY DOH # 11216 CT # PH-0201  
 PA DEF # 08380 ICR PA017

Sample ID #: 1999-12-17-027  
 Sample Date: 12/16/1999  
 Sample Time: 8:45  
 Sampled by: BM  
 Received by: DM  
 Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station  
 Sample Location: BGR-04  
 Sample Matrix: Ground Water

| Parameter                             | Results     | Detection Limit (DL)   |  | Method     | Extracted | Analyzed   | Analys |
|---------------------------------------|-------------|------------------------|--|------------|-----------|------------|--------|
|                                       |             | Max. Cont. Level (MCL) |  |            |           |            |        |
| EPA 8021 - Volatile Organic Compounds |             |                        |  | SW846/8021 |           | 12/27/1999 | RJ     |
| Benzene                               | ND<0.5 ug/L |                        |  |            |           |            |        |
| Bromobenzene                          | ND<0.5 ug/L |                        |  |            |           |            |        |
| Bromochloromethane                    | ND<0.5 ug/L |                        |  |            |           |            |        |
| Bromodichloromethane                  | ND<0.5 ug/L |                        |  |            |           |            |        |
| Bromoform                             | ND<0.5 ug/L |                        |  |            |           |            |        |
| Bromomethane                          | ND<0.5 ug/L |                        |  |            |           |            |        |
| n-Butylbenzene                        | ND<0.5 ug/L |                        |  |            |           |            |        |
| sec-Butylbenzene                      | ND<0.5 ug/L |                        |  |            |           |            |        |
| tert-Butylbenzene                     | ND<0.5 ug/L |                        |  |            |           |            |        |
| Carbon Tetrachloride                  | ND<0.5 ug/L |                        |  |            |           |            |        |
| Chlorobenzene                         | ND<0.5 ug/L |                        |  |            |           |            |        |
| Chloroethane                          | ND<0.5 ug/L |                        |  |            |           |            |        |
| Chloroform                            | ND<0.5 ug/L |                        |  |            |           |            |        |
| Chloromethane                         | ND<0.5 ug/L |                        |  |            |           |            |        |
| 2-Chlorotoluene                       | ND<0.5 ug/L |                        |  |            |           |            |        |
| 4-Chlorotoluene                       | ND<0.5 ug/L |                        |  |            |           |            |        |
| Dibromochloromethane                  | ND<0.5 ug/L |                        |  |            |           |            |        |
| 1,2-Dibromoethane                     | ND<0.5 ug/L |                        |  |            |           |            |        |
| 1,2-Dichlorobenzene                   | ND<0.5 ug/L |                        |  |            |           |            |        |
| 1,3-Dichlorobenzene                   | ND<0.5 ug/L |                        |  |            |           |            |        |
| 1,4-Dichlorobenzene                   | ND<0.5 ug/L |                        |  |            |           |            |        |
| Dichlorodifluoromethane               | ND<0.5 ug/L |                        |  |            |           |            |        |
| 1,1-Dichloroethane                    | ND<0.5 ug/L |                        |  |            |           |            |        |
| 1,2-Dichloroethane                    | ND<0.5 ug/L |                        |  |            |           |            |        |
| 1,1-Dichloroethene                    | ND<0.5 ug/L |                        |  |            |           |            |        |
| cis-1,2-Dichloroethene                | ND<0.5 ug/L |                        |  |            |           |            |        |





quality ■ accuracy ■ reliability

**ENVIRONMENTAL**  
390 Pennsylvania Avenue  
S. Waverly, PA 18840  
Phone (570) 888-0169  
Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies  
Project Description: Borgor Compressor Station

Sample ID #: 1999-12-17-027

| Parameter                 | Results     | Detection Limit (DL)   |  | Method | Extracted | Analyzed | Analyst |
|---------------------------|-------------|------------------------|--|--------|-----------|----------|---------|
|                           |             | Max. Cont. Level (MCL) |  |        |           |          |         |
| trans-1,2-Dichloroethene  | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,2-Dichloropropane       | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,3-Dichloropropane       | ND<0.5 ug/L |                        |  |        |           |          |         |
| 2,2-Dichloropropane       | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,1-Dichloropropene       | ND<0.5 ug/L |                        |  |        |           |          |         |
| cis-1,3-Dichloropropene   | ND<0.5 ug/L |                        |  |        |           |          |         |
| trans-1,3-Dichloropropene | ND<0.5 ug/L |                        |  |        |           |          |         |
| Ethylbenzene              | ND<0.5 ug/L |                        |  |        |           |          |         |
| Hexachlorobutadiene       | ND<0.5 ug/L |                        |  |        |           |          |         |
| Isopropylbenzene          | ND<0.5 ug/L |                        |  |        |           |          |         |
| 4-isopropyltoluene        | ND<0.5 ug/L |                        |  |        |           |          |         |
| Methylene Chloride        | ND<0.5 ug/L |                        |  |        |           |          |         |
| n-propylbenzene           | ND<0.5 ug/L |                        |  |        |           |          |         |
| Styrene                   | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,1,1,2-Tetrachloroethane | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,1,2,2-Tetrachloroethane | ND<0.5 ug/L |                        |  |        |           |          |         |
| Tetrachloroethene         | ND<0.5 ug/L |                        |  |        |           |          |         |
| Toluene                   | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,2,3-Trichlorobenzene    | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,2,4-Trichlorobenzene    | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,1,1-Trichloroethane     | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,1,2-Trichloroethane     | ND<0.5 ug/L |                        |  |        |           |          |         |
| Trichloroethene           | ND<0.5 ug/L |                        |  |        |           |          |         |
| Trichlorofluoromethane    | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,2,3-Trichloropropane    | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,2,4-Trimethylbenzene    | ND<0.5 ug/L |                        |  |        |           |          |         |
| 1,3,5-Trimethylbenzene    | ND<0.5 ug/L |                        |  |        |           |          |         |
| Vinyl Chloride            | ND<0.5 ug/L |                        |  |        |           |          |         |
| p/m-Xylene                | ND<0.5 ug/L |                        |  |        |           |          |         |
| o-Xylene                  | ND<0.5 ug/L |                        |  |        |           |          |         |
| Methyl tert butyl ether   | ND<0.5 ug/L |                        |  |        |           |          |         |

Reviewed by: Ralph J. Hendershot  
Ralph J. Hendershot  
Organic Manager







quality ■ accuracy ■ reliability

**ENVIRONMENTAL**  
 390 Pennsylvania Avenue  
 S. Waverly, PA 18840  
 Phone (570) 888-0169  
 Fax (570) 888-0717

LABORATORY REPORT

NY DOH # 11216 CT # PH-0201  
 PA DEP # 08380 ICR PA017

Client: S.E. Technologies  
 98 Vanadium Road  
 Bridgeville PA 15017

Sample ID #: 1999-12-17-027  
 Sample Date: 12/16/1999  
 Sample Time: 8:45  
 Sampled by: BM

ATT: Mike Antonetti

Received by: DM

Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station  
 Sample Location: BGR-04  
 Sample Matrix: Ground Water

| Parameter              | Results     | Detection Limit (DL)   |  | Method     | Extracted  | Analyzed   | Analysis |
|------------------------|-------------|------------------------|--|------------|------------|------------|----------|
|                        |             | Max. Cont. Level (MCL) |  |            |            |            |          |
| SW846/8270 B/N         |             |                        |  | SW846/8270 | 12/21/1999 | 12/28/1999 | RJI      |
| Acenaphthene           | ND<2.0 ug/L |                        |  |            |            |            |          |
| Anthracene             | ND<2.0 ug/L |                        |  |            |            |            |          |
| Benzo(a)anthracene     | ND<2.0 ug/L |                        |  |            |            |            |          |
| Benzo(a)pyrene         | ND<2.0 ug/L |                        |  |            |            |            |          |
| Benzo(b)fluoranthene   | ND<2.0 ug/L |                        |  |            |            |            |          |
| Benzo(k)fluoranthene   | ND<2.0 ug/L |                        |  |            |            |            |          |
| Benzo(g,h,i)perylene   | ND<2.0 ug/L |                        |  |            |            |            |          |
| Chrysene               | ND<2.0 ug/L |                        |  |            |            |            |          |
| Dibenzo(a,h)anthracene | ND<2.0 ug/L |                        |  |            |            |            |          |
| Fluoranthene           | ND<2.0 ug/L |                        |  |            |            |            |          |
| Fluorene               | ND<2.0 ug/L |                        |  |            |            |            |          |
| Indeno(1,2,3-cd)pyrene | ND<2.0 ug/L |                        |  |            |            |            |          |
| Naphthalene            | ND<2.0 ug/L |                        |  |            |            |            |          |
| Phenanthrene           | ND<2.0 ug/L |                        |  |            |            |            |          |
| Pyrene                 | ND<2.0 ug/L |                        |  |            |            |            |          |
| Acenaphthylene         | ND<2.0 ug/L |                        |  |            |            |            |          |

Reviewed by: Ralph J. Hendershot  
 Ralph J. Hendershot  
 Organic Manager





**ENVIRONMENTAL**  
 390 Pennsylvania Avenue  
 S. Waverly, PA 18840  
 Phone (570) 888-0169  
 Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies  
 98 Vanadium Road  
 Bridgeville PA 15017

NY DOH # 11216 CT # PH-0201  
 PA DEF # 08380 ICR PA017

Sample ID #: 1999-12-17-028  
 Sample Date: 12/16/1999  
 Sample Time: 9:00  
 Sampled by: BM  
 Received by: DM

ATT: Mike Antonetti

Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station  
 Sample Location: BGR-99  
 Sample Matrix: Ground Water

| Parameter                             | Results     | Detection Limit (DL)<br>Max. Cont. Level (MCL) | Method     | Extracted | Analyzed   | Analys |
|---------------------------------------|-------------|--|------------|-----------|------------|--------|
| EPA 8021 - Volatile Organic Compounds |             |  | SW846/8021 |           | 12/27/1999 | RJ     |
| Benzene                               | ND<0.5 ug/L |  |            |           |            |        |
| Bromobenzene                          | ND<0.5 ug/L |  |            |           |            |        |
| Bromochloromethane                    | ND<0.5 ug/L |  |            |           |            |        |
| Bromodichloromethane                  | ND<0.5 ug/L |  |            |           |            |        |
| Bromoform                             | ND<0.5 ug/L |  |            |           |            |        |
| Bromomethane                          | ND<0.5 ug/L |  |            |           |            |        |
| n-Butylbenzene                        | ND<0.5 ug/L |  |            |           |            |        |
| sec-Butylbenzene                      | ND<0.5 ug/L |  |            |           |            |        |
| tert-Butylbenzene                     | ND<0.5 ug/L |  |            |           |            |        |
| Carbon Tetrachloride                  | ND<0.5 ug/L |  |            |           |            |        |
| Chlorobenzene                         | ND<0.5 ug/L |  |            |           |            |        |
| Chloroethane                          | ND<0.5 ug/L |  |            |           |            |        |
| Chloroform                            | ND<0.5 ug/L |  |            |           |            |        |
| Chloromethane                         | ND<0.5 ug/L |  |            |           |            |        |
| 2-Chlorotoluene                       | ND<0.5 ug/L |  |            |           |            |        |
| 4-Chlorotoluene                       | ND<0.5 ug/L |  |            |           |            |        |
| Dibromochloromethane                  | ND<0.5 ug/L |  |            |           |            |        |
| 1,2-Dibromoethane                     | ND<0.5 ug/L |  |            |           |            |        |
| 1,2-Dichlorobenzene                   | ND<0.5 ug/L |  |            |           |            |        |
| 1,3-Dichlorobenzene                   | ND<0.5 ug/L |  |            |           |            |        |
| 1,4-Dichlorobenzene                   | ND<0.5 ug/L |  |            |           |            |        |
| Dichlorodifluoromethane               | ND<0.5 ug/L |  |            |           |            |        |
| 1,1-Dichloroethane                    | ND<0.5 ug/L |  |            |           |            |        |
| 1,2-Dichloroethane                    | ND<0.5 ug/L |  |            |           |            |        |
| 1,1-Dichloroethene                    | ND<0.5 ug/L |  |            |           |            |        |
| cis-1,2-Dichloroethene                | ND<0.5 ug/L |  |            |           |            |        |





Eastern Laboratory Services Ltd

quality ■ accuracy ■ reliability

ENVIRONMENTAL
390 Pennsylvania Avenue
S. Waverly, PA 18840
Phone (570) 888-0169
Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies
Project Description: Borger Compressor Station

Sample ID #: 1999-12-17-028

Table with 6 columns: Parameter, Results, Detection Limit (DL) Max. Cont. Level (MCL), Method, Extracted, Analyzed Analyst. Lists various chemical compounds and their results, all showing ND<0.5 ug/L.

Reviewed by: [Signature]
Ralph J. Hendershot
Organic Manager





quality ■ accuracy ■ reliability

**ENVIRONMENTAL**  
 390 Pennsylvania Avenue  
 S. Waverly, PA 18840  
 Phone (570) 888-0169  
 Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies  
 98 Vanadium Road  
 Bridgeville PA 15017

ATT: Mike Antonetti

NY DOH # 11216 CT # PH-0201  
 PA DEP # 08380 ICR PA017

Sample ID #: 1999-12-17-028  
 Sample Date: 12/16/1999  
 Sample Time: 9:00  
 Sampled by: BM  
 Received by: DM

Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station  
 Sample Location: BGR-99  
 Sample Matrix: Ground Water

| Parameter              | Results     | Detection Limit (DL)   |  | Method | Extracted  | Analyzed   | Analys'        |
|------------------------|-------------|------------------------|--|--------|------------|------------|----------------|
|                        |             | Max. Cont. Level (MCL) |  |        |            |            |                |
| SW846/8270 B/N         |             |                        |  |        | SW846/8270 | 12/21/1999 | 12/28/1999 RJJ |
| Acenaphthene           | ND<2.0 ug/L |                        |  |        |            |            |                |
| Anthracene             | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(a)anthracene     | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(a)pyrene         | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(b)fluoranthene   | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(k)fluoranthene   | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(g,h,i)perylene   | ND<2.0 ug/L |                        |  |        |            |            |                |
| Chrysene               | ND<2.0 ug/L |                        |  |        |            |            |                |
| Dibenzo(a,h)anthracene | ND<2.0 ug/L |                        |  |        |            |            |                |
| Fluoranthene           | ND<2.0 ug/L |                        |  |        |            |            |                |
| Fluorene               | ND<2.0 ug/L |                        |  |        |            |            |                |
| Indeno(1,2,3-cd)pyrene | ND<2.0 ug/L |                        |  |        |            |            |                |
| Naphthalene            | ND<2.0 ug/L |                        |  |        |            |            |                |
| Phenanthrene           | ND<2.0 ug/L |                        |  |        |            |            |                |
| Pyrene                 | ND<2.0 ug/L |                        |  |        |            |            |                |
| Acenaphthylene         | ND<2.0 ug/L |                        |  |        |            |            |                |

Reviewed by: Ralph J. Hendershot  
 Ralph J. Hendershot  
 Organic Manager





quality ■ accuracy ■ reliability

**ENVIRONMENTAL**  
 390 Pennsylvania Avenue  
 S. Waverly, PA 18840  
 Phone (570) 888-0169  
 Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies  
 98 Vanadium Road  
 Bridgeville PA 15017

ATT: Mike Antonetti

NY DOH # 11216 CT # PH-0201  
 PA DEP # 08380 ICR PA017

Sample ID #: 1999-12-17-029  
 Sample Date: 12/16/1999  
 Sample Time: 9:15  
 Sampled by: BM  
 Received by: DM

Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station  
 Sample Location: BGR-03  
 Sample Matrix: Ground Water

| Parameter                             | Results     | Detection Limit (DL)   |  | Method     | Extracted | Analyzed   | Analyst |
|---------------------------------------|-------------|------------------------|--|------------|-----------|------------|---------|
|                                       |             | Max. Cont. Level (MCL) |  |            |           |            |         |
| EPA 8021 - Volatile Organic Compounds |             |                        |  | SW846/8021 |           | 12/27/1999 | RJH     |
| Benzene                               | ND<0.5 ug/L |                        |  |            |           |            |         |
| Bromobenzene                          | ND<0.5 ug/L |                        |  |            |           |            |         |
| Bromochloromethane                    | ND<0.5 ug/L |                        |  |            |           |            |         |
| Bromodichloromethane                  | ND<0.5 ug/L |                        |  |            |           |            |         |
| Bromoform                             | ND<0.5 ug/L |                        |  |            |           |            |         |
| Bromomethane                          | ND<0.5 ug/L |                        |  |            |           |            |         |
| n-Butylbenzene                        | ND<0.5 ug/L |                        |  |            |           |            |         |
| sec-Butylbenzene                      | ND<0.5 ug/L |                        |  |            |           |            |         |
| tert-Butylbenzene                     | ND<0.5 ug/L |                        |  |            |           |            |         |
| Carbon Tetrachloride                  | ND<0.5 ug/L |                        |  |            |           |            |         |
| Chlorobenzene                         | ND<0.5 ug/L |                        |  |            |           |            |         |
| Chloroethane                          | ND<0.5 ug/L |                        |  |            |           |            |         |
| Chloroform                            | ND<0.5 ug/L |                        |  |            |           |            |         |
| Chloromethane                         | ND<0.5 ug/L |                        |  |            |           |            |         |
| 2-Chlorotoluene                       | ND<0.5 ug/L |                        |  |            |           |            |         |
| 4-Chlorotoluene                       | ND<0.5 ug/L |                        |  |            |           |            |         |
| Dibromochloromethane                  | ND<0.5 ug/L |                        |  |            |           |            |         |
| 1,2-Dibromoethane                     | ND<0.5 ug/L |                        |  |            |           |            |         |
| 1,2-Dichlorobenzene                   | ND<0.5 ug/L |                        |  |            |           |            |         |
| 1,3-Dichlorobenzene                   | ND<0.5 ug/L |                        |  |            |           |            |         |
| 1,4-Dichlorobenzene                   | ND<0.5 ug/L |                        |  |            |           |            |         |
| Dichlorodifluoromethane               | ND<0.5 ug/L |                        |  |            |           |            |         |
| 1,1-Dichloroethane                    | ND<0.5 ug/L |                        |  |            |           |            |         |
| 1,2-Dichloroethane                    | ND<0.5 ug/L |                        |  |            |           |            |         |
| 1,1-Dichloroethene                    | ND<0.5 ug/L |                        |  |            |           |            |         |
| cis-1,2-Dichloroethene                | ND<0.5 ug/L |                        |  |            |           |            |         |





quality ■ accuracy ■ reliability

ENVIRONMENTAL
390 Pennsylvania Avenue
S. Waverly, PA 18840
Phone (570) 888-0169
Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies
Project Description: Borger Compressor Station

Sample ID #: 1999-12-17-029

Table with 5 columns: Parameter, Results, Detection Limit (DL) Max. Cont. Level (MCL), Method, Extracted Analyzed Analyst. Lists various chemical compounds and their results, all showing ND<0.5 ug/L.

Reviewed by: Ralph J. Hendershot
Ralph J. Hendershot
Organic Manager





quality ■ accuracy ■ reliability

ENVIRONMENTAL
390 Pennsylvania Avenue
S. Waverly, PA 18840
Phone (570) 888-0169
Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies
98 Vanadium Road
Bridgeville PA 15017

ATT: Mike Antonetti

NY DOH # 11216 CT # PH-0201
PA DEP # 08380 ICR PA017

Sample ID #: 1999-12-17-029
Sample Date: 12/16/1999
Sample Time: 9:15
Sampled by: BM
Received by: DM

Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station
Sample Location: BGR-03
Sample Matrix: Ground Water

Table with 6 columns: Parameter, Results, Detection Limit (DL) Max. Cont. Level (MCL), Method, Extracted, Analyzed, Analyt. Rows list various PAHs like Acenaphthene, Anthracene, etc., all with ND<2.0 ug/L results.

Reviewed by: [Signature]
Ralph J. Hendershot
Organic Manager





quality ■ accuracy ■ reliability

**ENVIRONMENTAL**  
 390 Pennsylvania Avenue  
 S. Waverly, PA 18840  
 Phone (570) 888-0169  
 Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies  
 98 Vanadium Road  
 Bridgeville PA 15017

ATT: Mike Antonetti

NY DOH # 11216 CT # PH-0201  
 PA DEP # 08380 ICR PA017

Sample ID #: 1999-12-17-030  
 Sample Date: 12/16/1999  
 Sample Time: 9:40  
 Sampled by: BM  
 Received by: DM

Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station  
 Sample Location: BGR-01  
 Sample Matrix: Ground Water

| Parameter                             | Results     | Detection Limit (DL)<br>Max. Cont. Level (MCL) | Method     | Extracted | Analyzed | Analys        |
|---------------------------------------|-------------|--|------------|-----------|----------|---------------|
| EPA 8021 - Volatile Organic Compounds |             |  | SW846/8021 |           |          | 12/28/1999 RJ |
| Benzene                               | ND<0.5 ug/L |  |            |           |          |               |
| Bromobenzene                          | ND<0.5 ug/L |  |            |           |          |               |
| Bromochloromethane                    | ND<0.5 ug/L |  |            |           |          |               |
| Bromodichloromethane                  | ND<0.5 ug/L |  |            |           |          |               |
| Bromoform                             | ND<0.5 ug/L |  |            |           |          |               |
| Bromomethane                          | ND<0.5 ug/L |  |            |           |          |               |
| n-Butylbenzene                        | ND<0.5 ug/L |  |            |           |          |               |
| sec-Butylbenzene                      | ND<0.5 ug/L |  |            |           |          |               |
| tert-Butylbenzene                     | ND<0.5 ug/L |  |            |           |          |               |
| Carbon Tetrachloride                  | ND<0.5 ug/L |  |            |           |          |               |
| Chlorobenzene                         | ND<0.5 ug/L |  |            |           |          |               |
| Chloroethane                          | ND<0.5 ug/L |  |            |           |          |               |
| Chloroform                            | ND<0.5 ug/L |  |            |           |          |               |
| Chloromethane                         | ND<0.5 ug/L |  |            |           |          |               |
| 2-Chlorotoluene                       | ND<0.5 ug/L |  |            |           |          |               |
| 4-Chlorotoluene                       | ND<0.5 ug/L |  |            |           |          |               |
| Dibromochloromethane                  | ND<0.5 ug/L |  |            |           |          |               |
| 1,2-Dibromoethane                     | ND<0.5 ug/L |  |            |           |          |               |
| 1,2-Dichlorobenzene                   | ND<0.5 ug/L |  |            |           |          |               |
| 1,3-Dichlorobenzene                   | ND<0.5 ug/L |  |            |           |          |               |
| 1,4-Dichlorobenzene                   | ND<0.5 ug/L |  |            |           |          |               |
| Dichlorodifluoromethane               | ND<0.5 ug/L |  |            |           |          |               |
| 1,1-Dichloroethane                    | ND<0.5 ug/L |  |            |           |          |               |
| 1,2-Dichloroethane                    | ND<0.5 ug/L |  |            |           |          |               |
| 1,1-Dichloroethene                    | ND<0.5 ug/L |  |            |           |          |               |
| cis-1,2-Dichloroethene                | ND<0.5 ug/L |  |            |           |          |               |







quality ■ accuracy ■ reliability

ENVIRONMENTAL
390 Pennsylvania Avenue
S. Waverly, PA 18840
Phone (570) 888-0169
Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies
Project Description: Borger Compressor Station

Sample ID #: 1999-12-17-030

Table with 5 columns: Parameter, Results, Detection Limit (DL) Max. Cont. Level (MCL), Method, Extracted Analyzed Analyst. Lists various chemical compounds and their results, all showing ND<0.5 ug/L.

Reviewed by: [Signature]
Ralph J. Hendershot
Organic Manager





quality ■ accuracy ■ reliability

ENVIRONMENTAL
390 Pennsylvania Avenue
S. Waverly, PA 18840
Phone (570) 888-0169
Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies
98 Vanadium Road
Bridgeville PA 15017

ATT: Mike Antonetti

NY DOH # 11216 CT # PH-0201
PA DEP # 08380 ICR PA017

Sample ID #: 1999-12-17-030
Sample Date: 12/16/1999
Sample Time: 9:40
Sampled by: RM
Received by: DM

Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station
Sample Location: BGR-01
Sample Matrix: Ground Water

Table with 6 columns: Parameter, Results, Detection Limit (DL) Max. Cont. Level (MCL), Method, Extracted, Analyzed, Analyst. Lists various chemical parameters like Acenaphthene, Anthracene, etc., with results ND<2.0 ug/L.

Reviewed by: Ralph J. Hendershot
Ralph J. Hendershot
Organic Manager



LABORATORY REPORT

|   |  |
|---|--|
| Client: S.E. Technologies<br>98 Vanadium Road<br>Bridgeville PA 15017 | NY DOH # 11216 CT # PH-0201<br>PA DEP # 08380 ICR PA017  |
| ATT: Mike Antonetti   | Sample ID #: 1999-12-17-031<br>Sample Date: 12/16/1999<br>Sample Time: 10:00<br>Sampled by: BM<br>Received by: DM<br>Date & Time Recd: 12/17/1999 7:50 |

Project Description: Borger Compressor Station  
Sample Location: BGR-02  
Sample Matrix: Ground Water

| Parameter                             | Results     | Detection Limit (DL)<br>Max. Cont. Level (MCL) | Method     | Extracted | Analyzed   | Analyst |
|---------------------------------------|-------------|--|------------|-----------|------------|---------|
| EPA 8021 - Volatile Organic Compounds |             |  | SW846/8021 |           | 12/28/1999 | RJH     |
| Benzene                               | ND<0.5 ug/L |  |            |           |            |         |
| Bromobenzene                          | ND<0.5 ug/L |  |            |           |            |         |
| Bromochloromethane                    | ND<0.5 ug/L |  |            |           |            |         |
| Bromodichloromethane                  | ND<0.5 ug/L |  |            |           |            |         |
| Bromoform                             | ND<0.5 ug/L |  |            |           |            |         |
| Bromomethane                          | ND<0.5 ug/L |  |            |           |            |         |
| n-Butylbenzene                        | ND<0.5 ug/L |  |            |           |            |         |
| sec-Butylbenzene                      | ND<0.5 ug/L |  |            |           |            |         |
| tert-Butylbenzene                     | ND<0.5 ug/L |  |            |           |            |         |
| Carbon Tetrachloride                  | ND<0.5 ug/L |  |            |           |            |         |
| Chlorobenzene                         | ND<0.5 ug/L |  |            |           |            |         |
| Chloroethane                          | ND<0.5 ug/L |  |            |           |            |         |
| Chloroform                            | ND<0.5 ug/L |  |            |           |            |         |
| Chloromethane                         | ND<0.5 ug/L |  |            |           |            |         |
| 2-Chlorotoluene                       | ND<0.5 ug/L |  |            |           |            |         |
| 4-Chlorotoluene                       | ND<0.5 ug/L |  |            |           |            |         |
| Dibromochloromethane                  | ND<0.5 ug/L |  |            |           |            |         |
| 1,2-Dibromoethane                     | ND<0.5 ug/L |  |            |           |            |         |
| 1,2-Dichlorobenzene                   | ND<0.5 ug/L |  |            |           |            |         |
| 1,3-Dichlorobenzene                   | ND<0.5 ug/L |  |            |           |            |         |
| 1,4-Dichlorobenzene                   | ND<0.5 ug/L |  |            |           |            |         |
| Dichlorodifluoromethane               | ND<0.5 ug/L |  |            |           |            |         |
| 1,1-Dichloroethane                    | ND<0.5 ug/L |  |            |           |            |         |
| 1,2-Dichloroethane                    | ND<0.5 ug/L |  |            |           |            |         |
| 1,1-Dichloroethene                    | ND<0.5 ug/L |  |            |           |            |         |
| cis-1,2-Dichloroethene                | ND<0.5 ug/L |  |            |           |            |         |





quality ■ accuracy ■ reliability

**ENVIRONMENTAL**  
390 Pennsylvania Avenue  
S. Waverly, PA 18840  
Phone (570) 888-0169  
Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies  
Project Description: Borger Compressor Station

Sample ID #: 1999-12-17-031

| Parameter                 | Results     | Detection Limit (DL)   |  | Method | Extracted | Analyzed Analyst |
|---------------------------|-------------|------------------------|--|--------|-----------|------------------|
|                           |             | Max. Cont. Level (MCL) |  |        |           |                  |
| trans-1,2-Dichloroethene  | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,2-Dichloropropane       | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,3-Dichloropropane       | ND<0.5 ug/L |                        |  |        |           |                  |
| 2,2-Dichloropropane       | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,1-Dichloropropene       | ND<0.5 ug/L |                        |  |        |           |                  |
| cis-1,3-Dichloropropene   | ND<0.5 ug/L |                        |  |        |           |                  |
| trans-1,3-Dichloropropene | ND<0.5 ug/L |                        |  |        |           |                  |
| Ethylbenzene              | ND<0.5 ug/L |                        |  |        |           |                  |
| Hexachlorobutadiene       | ND<0.5 ug/L |                        |  |        |           |                  |
| Isopropylbenzene          | ND<0.5 ug/L |                        |  |        |           |                  |
| 4-isopropyltoluene        | ND<0.5 ug/L |                        |  |        |           |                  |
| Methylene Chloride        | ND<0.5 ug/L |                        |  |        |           |                  |
| n-propylbenzene           | ND<0.5 ug/L |                        |  |        |           |                  |
| Styrene                   | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,1,1,2-Tetrachloroethane | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,1,2,2-Tetrachloroethane | ND<0.5 ug/L |                        |  |        |           |                  |
| Tetrachloroethene         | ND<0.5 ug/L |                        |  |        |           |                  |
| Toluene                   | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,2,3-Trichlorobenzene    | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,2,4-Trichlorobenzene    | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,1,1-Trichloroethane     | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,1,2-Trichloroethane     | ND<0.5 ug/L |                        |  |        |           |                  |
| Trichloroethene           | ND<0.5 ug/L |                        |  |        |           |                  |
| Trichlorofluoromethane    | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,2,3-Trichloropropane    | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,2,4-Trimethylbenzene    | ND<0.5 ug/L |                        |  |        |           |                  |
| 1,3,5-Trimethylbenzene    | ND<0.5 ug/L |                        |  |        |           |                  |
| Vinyl Chloride            | ND<0.5 ug/L |                        |  |        |           |                  |
| p/m-Xylene                | ND<0.5 ug/L |                        |  |        |           |                  |
| o-Xylene                  | ND<0.5 ug/L |                        |  |        |           |                  |
| Methyl tert butyl ether   | ND<0.5 ug/L |                        |  |        |           |                  |

Reviewed by: Ralph J. Hendershot  
Ralph J. Hendershot  
Organic Manager





quality ■ accuracy ■ reliability

**ENVIRONMENTAL**  
 390 Pennsylvania Avenue  
 S. Waverly, PA 18840  
 Phone (570) 888-0169  
 Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies  
 98 Vanadium Road  
 Bridgeville PA 15017

ATT: Mike Antonetti

NY DOH # 11216 CT # PH-0201  
 PA DEF # 08380 ICR PA017

Sample ID #: 1999-12-17-031  
 Sample Date: 12/16/1999  
 Sample Time: 10:00  
 Sampled by: BM  
 Received by: DM

Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station  
 Sample Location: BGR-02  
 Sample Matrix: Ground Water

| Parameter              | Results     | Detection Limit (DL)   |  | Method | Extracted  | Analyzed   | Analyst        |
|------------------------|-------------|------------------------|--|--------|------------|------------|----------------|
|                        |             | Max. Cont. Level (MCL) |  |        |            |            |                |
| SW846/8270 B/N         |             |                        |  |        | SW846/8270 | 12/21/1999 | 12/28/1999 RJH |
| Acenaphthene           | ND<2.0 ug/L |                        |  |        |            |            |                |
| Anthracene             | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(a)anthracene     | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(a)pyrene         | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(b)fluoranthene   | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(k)fluoranthene   | ND<2.0 ug/L |                        |  |        |            |            |                |
| Benzo(g,h,i)perylene   | ND<2.0 ug/L |                        |  |        |            |            |                |
| Chrysene               | ND<2.0 ug/L |                        |  |        |            |            |                |
| Dibenzo(a,h)anthracene | ND<2.0 ug/L |                        |  |        |            |            |                |
| Fluoranthene           | ND<2.0 ug/L |                        |  |        |            |            |                |
| Fluorene               | ND<2.0 ug/L |                        |  |        |            |            |                |
| Indeno(1,2,3-cd)pyrene | ND<2.0 ug/L |                        |  |        |            |            |                |
| Naphthalene            | ND<2.0 ug/L |                        |  |        |            |            |                |
| Phenanthrene           | ND<2.0 ug/L |                        |  |        |            |            |                |
| Pyrene                 | ND<2.0 ug/L |                        |  |        |            |            |                |
| Acenaphthylene         |             |                        |  |        |            |            |                |

Reviewed by: Ralph J. Hendershot  
 Ralph J. Hendershot  
 Organic Manager





ENVIRONMENTAL  
390 Pennsylvania Avenue  
S. Waverly, PA 18840  
Phone (570) 888-0169  
Fax (570) 888-0717

LABORATORY REPORT

Client: S.E. Technologies  
98 Vanadium Road  
Bridgeville PA 15017

ATT: Mike Antonetti

NY DOH # 11216 CT # FH-0201  
PA DEF # 08380 ICR PA017

Sample ID #: 1999-12-17-032  
Sample Date: 12/14/1999  
Sample Time: 15:00  
Sampled by: DLM  
Received by: DM

Date & Time Recd: 12/17/1999 7:50

Project Description: Borger Compressor Station  
Sample Location: Trip Blank All Sites  
Sample Matrix: Lab Water

| Parameter | Results | Detection Limit (DL)   |  | Method | Extracted | Analyzed | Analyst |
|-----------|---------|------------------------|--|--------|-----------|----------|---------|
|           |         | Max. Cont. Level (MCL) |  |        |           |          |         |

EPA 8021 - Volatile Organic Compounds

SW846/8021

Reviewed by:

*Ralph J. Hendershot*  
Ralph J. Hendershot  
Organic Manager

Trip Blank not analyzed. Sample results did not exceed the MDL's for Volatile Organic Compounds.



# CHAIN OF CUSTODY



Eastern Laboratory Services, Ltd.  
390 N. Pennsylvania Avenue • S. Waverly, PA 18840  
Phone: (570) 888-0169

PAGE 1 OF 1

REPORT TO: Mike Antonetti  
SE Technologies, Inc.  
98 Vanadium Road  
Bridgeville, PA 15017  
CONTACT Mike Antonetti  
PH. # (412) 221-1100  
FAX # (412) 257-6103  
BILL TO: John Pastalock  
CNG Transmission Company  
PO#  
PROJECT DESCRIPTION  
Bordley Compressor Station  
SAMPLER SIGNATURE / AFFILIATION  
Bruce Miller SET  
CONTAINER SAMPLING POINT

REFRIGERATE SAMPLES AFTER COLLECTION.

TRANSPORT TO LABORATORY IN COOLER WITH ICE

DW DRINKING WATER SL SLUDGE  
GW GROUND WATER SO SOIL  
SW SURFACE WATER HZ HAZARDOUS  
WW WASTE WATER OTHER

### REMARKS

RESULTS ARE BEING USED FOR:  
NYDOH NYDEC PADEP  
LANDFILL \_\_\_\_\_  
PERSONAL OTHER \_\_\_\_\_

ARE SPECIAL DETECTION LIMITS NEEDED: YES NO  
IF YES PLEASE ATTACH  
IS A QC PACKAGE NEEDED? YES NO  
IF YES PLEASE ATTACH REQUIREMENTS

| #  | DATE SAMPLED   | TIME OF SAMPLING | SAMPLE MATRIX | SAMPLE TYPE - GRAB / COMPOSITE | SAMPLER (INITIALS) | CONTAINER TYPE | CONTAINER SIZE | PRESERVATIVE | ANALYSIS TO BE PERFORMED (PER CONTAINER) |           |
|----|--|------------------|---------------|--------------------------------|--------------------|----------------|----------------|--------------|--|-----------|
|    |  |                  |               |                                |                    |                |                |              | VOCs BOD1                                | BMs BOD10 |
| 1  | 8/16/99  | 845              | GW            | G                              | BML                | G              | 40 ml          | HCL          |  |           |
| 2  | 8/16/99  | 900              | GW            | G                              | BML                | AG             | 40 ml          | HCL          |  |           |
| 3  | 12/14/99   | 915              | GW            | G                              | BML                | AG             | 40 ml          | HCL          |  |           |
| 4  | 12/14/99   | 940              | GW            | G                              | BML                | AG             | 40 ml          | HCL          |  |           |
| 5  | 12/14/99   | 1000             | GW            | G                              | BML                | AG             | 40 ml          | HCL          |  |           |
| 6  | 12/14  | 1500             | LW            |                                | OLM                | G              | 40 ml          | HCL          |  |           |
| 7  |  |                  |               |                                |                    |                |                |              |  |           |
| 8  | Please send an additional report to John Pastalock (CNG) |                  |               |                                |                    |                |                |              |  |           |
| 9  |  |                  |               |                                |                    |                |                |              |  |           |
| 10 |  |                  |               |                                |                    |                |                |              |  |           |

H HYDROCHLORIC ACID OH SODIUM HYDROXIDE  
 S SULFURIC ACID AS ASCORBIC ACID  
 N NITRIC ACID AC ACETIC ACID  
 SO<sub>2</sub> SODIUM SULFITE NH<sub>4</sub> AMMONIUM CHLORIDE  
 Thio SODIUM THIOSULFATE ZN ZINC ACETATE  
 Hg MERCURIC CHLORIDE

*gules*

Please fill out all applicable areas completely

**ELS USE ONLY** DELIVERED BY: KTE

TEMPERATURE UPON RECEIPT: 0°C

1. SAMPLES WERE: SHIPPED  / HAND DELIVERED

2. CONTAINERS INTACT:  Y /  N

3. COC COMPLETE:  Y /  N

4. PROPERLY PRESERVED:  Y /  N

5. WITHIN HOLDING TIME:  Y /  N

6. LABELS MATCH COC:  Y /  N

RELINQUISHED BY: Bruce Miller DATE: 12/16/99 TIME: 11:00

RECEIVED BY: \_\_\_\_\_ DATE: 1/1/00 TIME: \_\_\_\_\_

RELINQUISHED BY: \_\_\_\_\_ DATE: \_\_\_\_\_ TIME: \_\_\_\_\_

RECEIVED BY: Robert D. ... DATE: 12/17/99 TIME: \_\_\_\_\_